

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,83

1895

RECEIVED
★ APR 10 1900 ★
U. S. Department of Agriculture.


PRICE LIST

OF

Rare Cacti



Succulents,



Astrophytum myriostigma.

GROWN BY _____

WM. TELL,

AUSTIN, TEXAS,

U. S. A.

Send your order to WILLIAM TELL,
My prices are low, my Cacti are well,
You will be pleased with what I send,
You never will regret what you spend.—

W. T.



☀ ☀ ☀

Go my Friends and Patrons. ✨ ✨

☆ ☆ ☆

I take the pleasure in presenting my Annual Price-List. For beginners I am making up a One (\$1.00) Dollar collection comprising twelve different fine cacti of blooming size.

I am constantly receiving new varieties, and revised price-list will be sent upon application.

I shall be pleased to quote prices on specimen plants and orders for large quantities.

My plants are well established and perfect, even those of low prices are of blooming size ; therefore my prices are low in comparison to those of dried out and unsightly plants.

Customers who desire to make up a collection, for both cheapness and variety, but not knowing exactly what kinds to order, will do well to leave the selection of same to me.

≡~~~~~≡

Terms. Cash unless by special agreement.

Special attention given to the packing of all orders.

For damage in transit, forwarders must be held responsible.

Large parcels must be sent by express.

In ordering, please write name and address plainly to avoid errors

≡~~~~~≡

REFERENCE.

PROF. W. J. GANONG, Northampton, Mass.

FRED. W. LANTZ, Baltimore, Md.

☀ ☀ ☀

+ not many on hand
 + limited to a good many
 Please indicate prices when
 you order

PRICE LIST.

Anhaloniums.

- | | | |
|------|--|--|
| + 1. | A. fissuratum, (Living Rock Cactus.) A very curious looking plant, without spines, | 25 to 50 |
| + 2. | A. Lewinii, closely related to Williamsii, | 20
25 to 40 |
| 3. | A. Prismaticum, spineless, tubercles triangular, | 25 to 60 |
| 4. | A. Williamsii, (Baldhead), turnip-shaped root, no spines, | 25 to 50 |
| + 5. | Astrophytum Myriostigma,
(Bishop's Hood.) A very showy plant, and difficult to obtain in good shape, | 20
40 to 1 50 |

Echinocactus.

- | | | |
|------|---|--|
| 6. | E. bicolor, a grand plant, | 30 to 60 |
| 7. | E. beguini, (by some called Mam. fulvispina.) Beautiful. Resembles a porcupine, spines white and black, | 35 to 60 |
| 8. | E. brevihamatus, long spined, | 30 to 75 |
| + 9. | E. capricornis, a very fine companion to the "Bishop's Hood" and a fine bloomer, | 30
40 to 1 00 |
| 10. | E. coptonogonus, | 50 to 1 00 |
| 11. | E. cornigerus, central spine of a red color, very broad and curved, | 50 to 75 |
| 12. | E. electracanthus, (hæmatecanthus), | 50 to 75 |
| 13. | E. heterochromus, new. Don't fail to order it. | 75 to 1 00 |
| 14. | Helophorus, very showy. | 75 to 1 50 |

- | | |
|------------------------|-----------|
| + E. Gussonei | 75 - 3 00 |
| + " mathewii | 75 |
| + " ornatus | 75 |
| + Pelleybora pectinata | 35 |
| + " asseliformis | 35 |

I will also exchange long kind
 I marked here against your
 new coming kinds

Echinocereus.

- + 47. E. C. Berlandieri, a rapid grower, flowers
rose colored, 8-15
~~20 to 30~~
- + 48. E. C. caespitosus, a very nice cactus with
lace-like spines, big rose-colored flowers,
and a free and early bloomer. I have a
fine lot of single-headed plants and clus-
ters of large size in different shapes and
color of spines, 5-15
~~15 to 50~~
- + 49. E. C. chloranthus, many colored, very fine, 25 to ~~50~~
- + 50. E. C. conglomeratus, 30
~~40 to 75~~
- 51. E. C. ~~cinerascens~~, beautiful, found in very
few collections, 65 to 1 00
- + 52. E. C. dasyacanthus, 25 to ~~75~~
- 53. E. C. dubius, — to —
- + 54. E. C. enneacanthus of branching habit. 15 to ~~40~~²⁵
- + 55. E. C. Engelmanni, one of the finest where a
striking effect is wanted, spines straw-
colored, 1 to 3 in. long, flower large, 40
~~50 to 1 00~~
- 56. E. C. Fendleri, 35 to 75
- + 57. E. C. Heyderi, hard to be found, and very
rare in collections, spines comb-like, flat-
tened to the stem, of copper color. Stock
limited, 25
~~40 to 75~~
- + 58. E. C. Labouretianus, many colored, scarce, 30
~~40 to 75~~
- 59. E. C. paucispinus, 30 to 50
- 60. E. C. pectinatus, var. texensis, 10-25
~~20 to 35~~
- 61. " " " armatus, 25 to 50
- 62. " " " rufispinus, rare, 35 to 70
- 63. E. C. phoeniceus, 35 to 50
- 64. E. C. polyacanthus, 50 to 75
- 65. E. C. procumbens, 25 to 40
- + *Rivieri* 10-20
- + *caespitosus major* 15

Pilocereus.

- + 66. Pilocereus senilis, (Old Man Cactus) - ~~30 to 3 00~~ ^{25-1 00}
- + 66½ " fossulatus, a beautiful and distinct species of which track has been lost for a long time. It is a fair rival to the "Old Man Cactus" - ~~1 00 to 2 00~~ ^{40 - 5 00}

Mamillarias.

- + 67. M. applanata, (Heyderi) a very fine looking Cactus, - - - - - ~~15 to 50~~ ^{10 - 20}
- 68. M. Bocasana, covered with hair like spines, 35 to 75
- 69. M. barbata, - - - - - 25 to 50
- 70. M. bicolor, - - - - - 25 to 35
- 71. M. candida, - - - - - 30 to 50
- 72. M. cornifera, - - - - - 20 to 50
- 73. M. Caretti, new, rare, - - - - - 50 to 75
- 74. M. daemoneceas, - - - - - 35 to 50
- + 75. M. decipiens, of easiest culture, - ~~15 to 25~~
- 76. M. echinus, - - - - - 20 to 35
- 77. M. echinata, - - - - - 20 to 35
- 78. M. Goodrichii, - - - - - 35 to 50
- + 79. M. Kramerii, very distinct and beautiful, 25 to 50
- 80. ~~Six~~ ¹² new varieties. All very desirable. Two of them I consider the most attractive of all the mamillarias, - - - - - 50 to 1 00 *a few left*
- 81. M. leona, a beauty - - - - - 35 to 50
- + 82. M. Lassomeri, new and beautiful, - 50 to 90
- 83. M. lasiacantha, (Featherball) - - - 20 to 40

+ *superbata* 25 - 40
 + *erecta* 35
 + *rhodantha brucea* 30 - 40
 + *Praneri* var only 2 beauties 50.
 + *portales* var 40

- + 84. *M. macromeris*, tubercles very prominent, spines 1 to 3 in. long, extremely fine, ²⁰~~25 to 50~~
- 85. *M. meiacantha*, tubercles triangular, - 20 to 50
- + 86. *M. micromeris*, (Button Cactus) - 25 to ~~50~~
- 87. *M. microthele*, - - - - - 40 to 60
- + 88. *M. Nuttalli*, nice shape, fine bloomer, - ⁵⁻¹⁵~~10 to 25~~
- + 89. *M. Petersonii*, - - - - - ³⁰~~50 to 75~~
- + 90. *M. Pfeifferi*, with golden yellow spines, ²⁵⁻⁴⁰~~40 to 75~~
- 91. *M. pusilla texana*, - - - - - 25 to 35
- + 92. *M. " mexicana*, - - - - - ¹⁵~~to 25~~
- 93. *M. pectinata*, - - - - - 20 to 35
- + 94. *M. radiosa*, - - - - - ²⁰~~25 to 50~~
- + 95. *M. rigidispina*, - - - - - 25 to ~~60~~
- + 96. *M. sanguinea*, (Blood Cactus.) Spines quite dense and straight, which gives the plant a brush-like appearance. It is indispensable in collections, where contrast of colors is wanted. Some plants are of such deep color, as if dipped in blood, ²⁵⁻⁴⁰~~60 to 100~~
- 97. *M. sempervivi*, very attractive, woody axilles, 25 to 50
- + 98. *M. stella-aurata*, *var new* ²⁵~~30 to 50~~
- 99. *M. strobiliformis*, lower warts of a corky appearance, - - - - - 25 to 35
- + *partinensis* 35
- + *chirchillera longispina* 30-50
- + *renewens* 25
- + *elegans* 25-35

100.	M. spinosissima, ball shaped with beautiful spines,	- - - - -	35 to	50
101.	M. tuberculosa,	- - - - -	25 to	50
102.	M. Wildiana, feathery,	- - - - -	25 to	50
103.	M. Wissmanni,	- - - - -	20 to	40

Opuntias.

104.	O. arborescens,	cutting 10c.	plants,	20 to	30
105.	O. basilaris, spineless and quite different in shape from other opuntias,	cuts 15c.		25 to	35
106.	O. basilaris, new, cuttings	35c. 25	plants	50 to	75
107.	O. basilaris, new, heart-shaped joints of a reddish color, beautiful,	cuts 20c. 25		60 to	75
108.	O. Bernardina, cuttings	25c. 15		30 to	50
109.	O. brachyarthra,	cuttings 10c.		15 to	20
110.	O. candelabriformis,	cutting 5c.		15 to	25
111.	O. clavata,	" 10c.		15 to	20
112.	O. Engelmanni,	" 10c.		20 to	30
113.	O. echinocarpa, major,	" 20c.		30 to	50
	The beauty of this tree-like cactus is hard to imagine unless seen, the spines are arranged in a most symmetrical way, covering nearly the whole plant and glistening like golden blades in the sunshine.				
114.	O. Frutescens,	cutting 5c.		10 to	25
115.	O. Lurida,	" 25c.		30 to	50
116.	O. microdasys,	" 10c.		20 to	30
117.	O. macrorrhiza, bulbous roots,	cuts 10c.		20 to	25
118.	O. prolifera,	cutting 15c.		25 to	35
119.	O. senilis,	" 20c.		30 to	50
120.	O. tessellata, a beautiful and very odd-looking kind of shrubby growth, with round joints, no radial spines, one long centre spine only,	cuttings 25c.		50 to	75
121.	O. tessellata var denudata cristata, at present very small cutting, 1/2 to 2 in. long, ready to ship,			40	
122.	O. vulgaris, fruit red, 2 to 3 in. long, pear-shaped,	cuttings, 10c		20 to	25

AGAVES, ALOES, CRASSULAS, ECHEVERIAS,
GASTERIAS, MESEMBRIANTHEMUMS, etc.


at very low prices, will be ready for shipment

April 15th, 1895, a special list will be
issued by that time.



Miscellaneous.

Clematis coccinea and crispa, - - - each,	15c
Resurrection plants, - - - - 2 for	15c
Tillandsia usneoides, (Spanish moss,) extra fine for hanging baskets, and other decorative purposes. Purchaser to pay postage 8c. per lb. - - - - per lb.	5c
Cacti seed in great variety. List on application. - 10 to	25c
Clematis seed, - - - - per package.	5c



BULBS.

AMARYLLIS equestre.....	15c
Johnsonii	40c
formosissima	2 for 20c
CRINUM Asiaticum, new, very showy.....	50c
fimbriatum	20c
Kirkii. I have very heavy bulbs in stock	35 to 75c
pendunculatum, very rare.....	50 to 75c
scabrum	60c
Yemensis	50c
COOPERIA, two kinds,	3 for 10c
EUCHARIS AMAZONICA.....	25 to 35c
HESPEROCALLIS UNDULATA. (Colorado Desert Lily)	
Flowers white, sweet-scented	50 to 75c
IPOMEA PANDURATA, a hardy tuberous climber, quick grower, flowers white, with purple throat, 3 to 5 inches across. Vines will be loaded with flowers daily, and the beauty of it, will stay open all day, even in the hottest sun, fine flow- ering tubers	15c. Extra stout
LYCORIS SANGUINEA.....	10c
NEMASTYLLIS, flowers blue, ready to ship March 15th.	3 for 10c
PANCRATIUM, (Spider Lily) .. .	15 to 25c 5
ZEPHYRANTHES TEXANA, flowers bronze colored.	3 for 10c